



**BANBROS ENGINEERING PVT. LTD.**

The Precision Measurement People

# DIGITAL MOTORIZED ROCKWELL HARDNESS TESTER



- *VALUE*
- *VERSATILITY*
- *PERFORMANCE*

## **BRSN-D**

**DISCRIPTION: -**

Our **BRSN-D, BRSND-TD, BRSN-BD** Rockwell Hardness Testing Machine is manufactured under strict quality control at all manufacturing stages. This model is suitable for testing hardness of metals and alloys of all kinds, hard or soft, whether flat or round etc. or of irregular shape. This model is having superior design to that of existing conventional Rockwell Hardness Testers & easy to operate still quite sensitive & accurate.

**FEATURES: -**

- Machine is having different Taper front look and superior aesthetic look over conventional Rockwell Hardness Tester.
- Unidirectional Big Dial type auto load selection knob for load selection of loads 60,100 &150 kgf.
- Most of the important parts are plated to avoid rusting.
- An antifricition linear bearing is fixed in Hardened & ground stepped bush which will provide perfect vertical movement of diamond holder. Thus the testing of small pin or ball up to 3mm dia is possible.
- All models conform to -  
IS: 1586, BS 10109-2, ASTM-E-18 & ISO: 6508-2 for Rockwell Test.

**SALIENT FEATURES: -**

- LCD Graphical Display with 128 x 64 pixels & Results are displayed in BIG Font size
- Minor load is graphically displayed on LCD screen (Minor load auto brake system)
- Provision of Numbers. of tests, mean, standard deviation, maximum, minimum range, individual test hardness numbers in PC Software.
- Dwell Time setting for MAJOR Load 1 to 99 sec & MINOR load dwell time is 1-30 sec.
- 75 Results are stored in the system with automatic result data storage.
- User can enable auto save results storage in system or disable it.
- User can select appreciate scale according to weight selected.
- Motorized Automatic Loading or Manual Loading is selectable.
- Conversion of results from Rockwell to Brinell (HB) , Vickers (HV), Knoop (HK), Tensile Strength (KSI),
- Serial Port for Dot Matrix Printer or EPSON LX 300 +(optional).
- Print result consists of Serial No. Hardness Value and Hardness Scale.

**TECHNICAL SPECIFICATION: -**

Model No.	BRSN-D	BRSN-TD	BRSN-BD	BRSN-CD
<b>Test Loads (Kgf)</b>	60,100,150	15,30,45,60,100,150	60,100,150,187.5,250	15,30,45,60,100,150,187.5,250
<b>Initial Loads (Kgf)</b>	10 kgf.	3 kgf. For superficial test 10 kgf. for Rockwell	10 kgf.	3 kgf. for superficial test 10 kgf. for Rockwell & Brinell Test
<b>Max. Test Height (mm)</b>	220	220	220	220>
<b>Depth of Throat (mm)</b>	130	130	130	130
<b>Size of base (mm) approx</b>	600 * 200	600 * 200	600 * 200	600 * 200
<b>Machine height (mm)</b>	850	850	850	850
<b>Net weight (approx kg)</b>	90 kg.	90 kg.	90 kg.	90 kg.

**STANDRAD ACCESSORIES: -**

Item Name	BRSN-D	BRSN-TD	BRSN-BD	BRSN-CD
<b>Rockwell Diamond Indenter</b>	1 No.	1 No.	1 No.	1 No.
<b>Superficial Diamond Indenter</b>	--	1No.	--	1 No.
<b>Testing table dia 50 mm</b>	1No.	1 No.	1 No.	1 No.
<b>Testing table dia 40 mm with "V" groove for round jobs dia 6 to 45 mm</b>	1 No.	1 No.	1 No.	1 No.
<b>Steel ball Indenter Dia 1/16</b>	1 No.	1 No.	1 No.	1 No.
<b>Steel ball Indenter Dia 2.5 mm</b>	---	--	1 No.	1 No.
<b>Steel ball Indenter Dia 5 mm</b>	--	--	1 No.	1 No.
<b>Test block HRC</b>	1 No.	1 No.	1 No.	1No.
<b>Test block HRB</b>	1 No.	1 No.	1 No.	1No.
<b>Test block 2.5 mm /187.5 kgf.</b>	--	--	1 No.	1 No.
<b>Test block Rockwell Superficial 30N</b>	--	1 No.	--	1 No.
<b>Steel ball dia 1/16</b>	5 Nos.	5 Nos.	5 nos.	5 Nos.
<b>Allen Spanners</b>	3 Nos.	3 Nos.	3 nos.	3 Nos.
<b>Clamping Device</b>	1 No.	1 No.	1 no.	
<b>Brinell Microscope</b>	--	--	1 no.	1 No.
<b>Telescopic sleeves for elevating screw</b>	1 set	1 set	1 set	1 set
<b>Instruction manual</b>	1 Book	1 Book	1 Book	1 Book